

## BIBLIOGRAPHY

### BOOKS

- Alderman, R.B. (1974), **Psychological Behaviour in Sports**, Philadelphia: W.B.Souder Co., P. 32.
- Astrand, P. and Kaaxe R., (1977), **Text Book of Work Physiology**, New York: McGraw Hill Book Company, P. 27.
- Baumgartner, T. A and Jackson, A.S. (1987), **Measurement for Evaluation in Physical Education and Exercise Science**, (3<sup>rd</sup> Ed.), Dubeque, Iowa: W.Mc. Brown Publishers, P. 12.
- Benjamin W. Van Voorhees, (2007), **Weight Management**, Chicago: The University of Chicago, P. 92
- Cavill N, Davis A. (2007) **Cycling and Health: what's the evidence** . Cycling England, 2007
- Donatelle, Rebecca, J. (2005). **Health: The Basis**, Pearson Education, Inc., Francisco.
- Heather Hedrich Fink, Burgoon and Mikesky, (2006), **Practical Applications in Sports Nutrition, Health Fitness**.
- Majumdar (1950), **Encyclopedia of Physical Education**, Surjeet Book House.
- Paul Procter (1982), **Longman, New Universal Dictionary** England : C & Merrian Company, P.1159

**JOURNALS AND PERIODICALS**

- Adamo KB, et.al. (2010), “Effects of interactive video game cycling on overweight and obese adolescent health.”, **Appl Physiol Nutr Metab.** Dec;35(6):805-15.
- Allan CA, and McLachlan RI. (2010), “Androgens and obesity.”, **Curr Opin Endocrinol Diabetes Obes.** Jun;17(3):224-32
- Aronsson L, et.al. (2010), “Decreased fat storage by *Lactobacillus paracasei* is associated with increased levels of angiotensin-like 4 protein (ANGPTL4).”, **PLoS One.** Sep 30;5(9).
- Banerjee C, et.al. (2011), “Identification of serum biomarkers for aging and anabolic response.”, **Immun Ageing.** Jun 20;8(1):5.
- Bassett DR Jr. (1989), “Correcting the Wingate test for changes in kinetic energy of the ergometer flywheel.”, **Int J Sports Med.** Dec;10(6):446-9.
- Beaven CM, et.al. (2010), “Ultradian rhythmicity and induced changes in salivary testosterone.”, **Eur J Appl Physiol.** Sep;110(2):405-13.
- Ben Ounis O, et.al. (2009), “Two-month effects of individualized exercise training with or without caloric restriction on plasma adipocytokine levels in obese female adolescents.”, **Ann Endocrinol (Paris).** Sep;70(4):235-41
- Bloomer RJ, et.al. (2010), “Effect of oral intake of capsaicinoid beadlets on catecholamine secretion and blood markers of lipolysis in healthy adults: a randomized, placebo controlled, double-blind, cross-over study.”, **Lipids Health Dis.** Jul 15;9:72
- Bray GA. (2004) Medical consequences of obesity. **J Clin Endocrinol Metab.** ;89:2583–2589.
- Cadore EL, et.al. (2010), “Physiological effects of concurrent training in elderly men.”, **Int J Sports Med.** Oct;31(10):689-97

Cleveland Clinic (2009), "Health: Taming Your Triglycerides"; **Livestrong.com**, November 2009

Mayo Clinic (2011); **High Cholesterol**; June 2011

Codoñer-Franch P, et.al. (2010), « Oxidative markers in children with severe obesity following low-calorie diets supplemented with mandarin juice.», **Acta Paediatr.** Dec;99(12):1841-6.

Crewther BT, et.al. (2011), "The effects of short-cycle sprints on power, strength, and salivary hormones in elite rugby players.", **J Strength Cond Res.** Jan;25(1):32-9

Crewther BT, (2010), "Validating the salivary testosterone and cortisol concentration measures in response to short high-intensity exercise.", **J Sports Med Phys Fitness.** Mar;50(1):85-92

de Sousa MV, et.al. (2010), "Effects of carbohydrate supplementation on competitive runners undergoing overload training followed by a session of intermittent exercise"., **Eur J Appl Physiol.** Jun;109(3):507-16

Derbré F, et.al. (2010), "Androgen responses to sprint exercise in young men.", **Int J Sports Med.** May;31(5):291-7

Duschek EJ, et.al. (2005), "Comparison of effects of the rise in serum testosterone by raloxifene and oralttestosterone on serum insulin-like growth factor-1 and insulin-like growth factor bindingprotein-3.", **Maturitas.** Jul 16;51(3):286-93.

Haufe S, et.al. (2010), "Determinants of exercise-induced fat oxidation in obese women and men.", **Horm Metab Res.** Mar;42(3):215-21

Holtz KA, et.al. (2008), "The effect of carbohydrate availability following exercise on whole-body insulin action." **Appl Physiol Nutr Metab.** Oct;33(5):946-56.

Hough JP, et.al. (2011), "Plasma and salivary steroid hormone responses of men to high-intensity cycling and resistance exercise.", **J Strength Cond Res.** Jan;25(1):23-31

- Kang J, et.al. (2005), « Metabolic and perceptual responses during Spinning cycle exercise.», **Med Sci Sports Exerc.** May;37(5):853-9
- Kelishadi R, et.al. (2010), “Effect of zinc supplementation on markers of insulin resistance, oxidative stress, and inflammation among prepubescent children with metabolic syndrome.», **Metab Syndr Relat Disord.** Dec;8(6):505-10.
- Koch B, et.al. (2011), “Association between serum testosterone and sex hormone-binding globulin and exercise capacity in men: results of the Study of Health in Pomerania (SHIP).”, **J Androl.** Mar-Apr;32(2):135-43.
- Koppo K, (2010), « Lipid mobilization in subcutaneous adipose tissue during exercise in lean and obese humans. Roles of insulin and natriuretic peptides.», **Am J Physiol Endocrinol Metab.** Aug;299(2):E258-65.
- Korff et al (2007) “Effect of pedalling technique on mechanical effectiveness and efficiency in cyclists”. **Med Sci Sports Exerc.** 39(6) 991-995.
- Kyung NH, et.al. (1985), “Effect of carbohydrate supplementation on reproductive hormones during fasting in men.», **J Clin Endocrinol Metab.** May;60(5):827-35.
- Lane AR, et.al. (2010), “Influence of dietary carbohydrate intake on the free testosterone: cortisol ratio responses to short-term intensive exercise training.», **Eur J Appl Physiol.** Apr;108(6):1125-31
- Layman DK, Baum JJ. (2004) Dietary protein impact on glycemic control during weight loss. **J Nutr.**;134:968S–73S.
- Layman DK, et.al. (2003). A reduced ratio of dietary carbohydrate to protein improves body composition and blood lipid profiles during weight loss in adult women. **J Nutr.** ;133:411–417.
- Lee YJ, et.al. (2011), “Effects of coenzyme Q10 on arterial stiffness, metabolic parameters, and fatigue in obese subjects: a double-blind randomized controlled study.», **J Med Food.** Apr;14(4):386-90.

- Lira FS, et.al. (2011), “Supplementing alpha-tocopherol (vitamin E) and vitamin D3 in high fat diet decrease IL-6 production in murine epididymal adipose tissue and 3T3-L1 adipocytes following LPS stimulation.”, **Lipids Health Dis.** Feb 27;10:37.
- Mårin P, et.al. (1993), “Androgen treatment of abdominally obese men.”, **Obes Res.** Jul;1(4):245-51
- Millet, G. et al (2001) “Level ground and uphill cycling efficiency in seated and standing positions”. **Med Sci Sports Exerc.** 34(10): 1645-1652.
- Naghii MR, et.al. (2011), “Comparative effects of daily and weekly boron supplementation on plasma steroid hormones and proinflammatory cytokines.”, **J Trace Elem Med Biol.** Jan;25(1):54-8.
- Neff LM, et.al. (2011), “Algal docosahexaenoic acid affects plasma lipoprotein particle size distribution in overweight and obese adults.”, **J Nutr.** Feb;141(2):207-13.
- Numao S, (2011), “Influence of acute aerobic exercise on adiponectin oligomer concentrations in middle-aged abdominally obese men.”, **Metabolism.** Feb;60(2):186-94.
- Paffenbarger R et al. (1986) “Physical activity, all-cause mortality and longevity of college alumni”. **New England Journal of Medicine**, vol. 314(10) pp 605-613, 1986
- Pal S, et.al. (2010), “Effects of whey protein isolate on body composition, lipids, insulin and glucose in overweight and obese individuals.”, **Br J Nutr.** Sep;104(5):716-23.
- Park HS, Park JY, Yu R. (2005) Relationship of obesity and visceral adiposity with serum concentrations of CRP, TNF-alpha and IL-6. **Diabetes Res Clin Pract.** ;69:29–35.
- Ponnampalam EN, et.al. (2011), “Differential effects of natural palm oil, chemically- and enzymatically-modified palm oil on weight gain, blood lipid metabolites and fat deposition in a pediatric pig model.”, **Nutr J.** May 18;10:53.

- Poole CN, et.al. (2011), "The combined effects of exercise and ingestion of a meal replacement in conjunction with a weight loss supplement on body composition and fitness parameters in college-aged men and women.", **J Strength Cond Res.** Jan;25(1):51-60
- Ramel A, et.al. (2010), "Effects of weight loss and seafood consumption on inflammation parameters in young, overweight and obese European men and women during 8 weeks of energy restriction.", **Eur J Clin Nutr.** Sep;64(9):987-93.
- Tantiwong P et.al. (2010), "NF- $\kappa$ B activity in muscle from obese and type 2 diabetic subjects under basal and exercise-stimulated conditions.", **Am J Physiol Endocrinol Metab.** Nov;299(5):E794-801.
- Tishova Y, and Kalinchenko SY. (2009), "Breaking the vicious circle of obesity: the metabolic syndrome and low testosterone by administration of testosterone to a young man with morbid obesity.", **Arq Bras Endocrinol Metabol.** Nov;53(8):1047-51.
- Vermeulen A, et.al. (1996), « Influence of some biological indexes on sex hormone-binding globulin and androgen levels in aging or obese males.", **J Clin Endocrinol Metab.** May;81(5):1821-6.
- Woo J.(2011), "Nutritional strategies for successful aging.", **Med Clin North Am.** May;95(3):477-93, ix-x

**WEBSITES VISITED**

[www.brianmac.co.uk](http://www.brianmac.co.uk)

[www.healthyliving.azcentral.com](http://www.healthyliving.azcentral.com)

[www.ncbi.nlm.nih.gov/pubmed/](http://www.ncbi.nlm.nih.gov/pubmed/)

[www.topendsports.com](http://www.topendsports.com)

[www.wikihow.com](http://www.wikihow.com)