

## LIST OF TABLES

| <b>Table</b> | <b>Description</b>   | <b>Page #</b> |
|--------------|--|---------------|
| I            | Yoga and World Religions   | 13            |
| II           | History of Insulin   | 22            |
| III          | Body Mass Index (BMI)  | 64            |
| IV           | Blood Pressure   | 65            |
| V            | Pulse Rate   | 66            |
| VI           | Glycemic Target for Non pregnant Diabetic Adults                       | 68            |
| VII          | Lipid Profile  | 68            |
| VIII         | Criterion Measures   | 136           |
| IX           | Loosening Workouts   | 139           |
| X            | Surya Namaskar Position, Asana and Breathing                           | 144           |
| XI           | Traditional Yoga Practices from 1 to 4 weeks<br>(Duration 50 minutes)  | 202           |
| XII          | Traditional Yoga Practices from 5 to 8 weeks<br>(Duration 60 minutes)  | 203           |
| XIII         | Traditional Yoga Practices from 9 to 12 weeks<br>(Duration 75 minutes) | 204           |
| XIV          | Tibetian Yoga Practices from 1 to 4 weeks (Duration<br>50 minutes)     | 205           |
| XIV(A)       | Tibetian Yoga Practices from 5 to 8 weeks (Duration<br>60 minutes)     | 205           |
| XV           | Tibetian Yoga Practices for 9 to 12 weeks (Duration<br>75 minutes)     | 206           |

|           |   |     |
|-----------|---|-----|
| XVI       | Analysis of co-variance of the means of two experimental groups and control group in Body Mass Index (BMI)    | 216 |
| XVI (A)   | Scheffe's post-hoc test for Body Mass Index (BMI)   | 217 |
| XVII      | Analysis of co-variance of the means of two experimental groups and control group in Systolic Blood Pressure  | 219 |
| XVII (A)  | Scheffe's post-hoc test for Systolic Blood Pressure   | 220 |
| XVIII     | Analysis of co-variance of the means of two experimental groups and control group in Diastolic Blood Pressure | 223 |
| XVIII (A) | Scheffe's post-hoc test for Diastolic Blood Pressure  | 224 |
| XIX       | Analysis of co-variance of the means of two experimental groups and control group in Pulse Rate               | 226 |
| XIX (A)   | Scheffe's post-hoc test for Pulse Rate  | 227 |
|           | Analysis of co-variance of the means of two experimental groups and control group in Fasting Blood Sugar      | 230 |
| XX (A)    | Scheffe's post-hoc test for Fasting Blood Sugar   | 231 |
| XXI       | Analysis of co-variance of the means of two experimental groups and control group in HbA1c                    | 233 |
| XXI (A)   | Scheffe's post-hoc test for HbA1c   | 234 |

|           |   |     |
|-----------|---|-----|
| XXII      | Analysis of co-variance of the means of two experimental groups and control group in Total Cholesterol        | 237 |
| XXII (A)  | Scheffe's post-hoc test for Total Cholesterol   | 238 |
| XXIII     | Analysis of co-variance of the means of two experimental groups and control group in Anxiety                  | 240 |
| XXIII (A) | Scheffe's post-hoc test for Anxiety   | 241 |
| XXIV      | Analysis of co-variance of the means of two experimental groups and control group in Work & Social Adjustment | 244 |
| XXIV (A)  | Scheffe's post-hoc test for Work & Social Adjustment  | 245 |
| XXV       | Analysis of co-variance of the means of two experimental groups and control group in Satisfaction with Life   | 247 |
| XXV (A)   | Scheffe's post-hoc test for Satisfaction with Life  | 248 |